

Qualideck® Traffic Bearing Membrane

System	Medium Duty	Heavy Duty	Extra Heavy Duty	Extreme Duty
Primer Q152	4 mils	4 mils	4 mils	4 mils
Membrane Q252	25 mils	25 mils	25 mils	25 mils
Intermediate / Top Coat Q372 (Aromatic)	*15 mils	15 mils / 15 mils	25 mils / 15 mils	30 mils / 20 mils
UV Top Coat Q582 (Aliphatic)	*15 mils	15 mils	15 mils	20 mils
Sand Aggregate	10–15lbs / 100sf / Coat	10–15lbs / 100sf / Coat	10–15lbs / 100sf / Coat	10–15lbs / 100sf / Coat
Total	*40 mils	55 mils	65 mils	75 mils

*NOTE: Use UV Q582 for full sun exposure or Q372 aromatic for non sun exposure